

Due to the Current Market Fluctuations of Crude Oil,
Prices are Subject to Change without Advance Notice!

ATV TIRES - Goodyear

RAWHIDE MT/R RADIAL

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8R12	209-024-070	3*	6Ply		69.86	18	17
AT25-10R12	209-025-070	3*	6Ply		82.48	20	23
AT26-8R12	209-020-070	3*	6Ply		85.24	18	17
AT26-11R12	209-021-070	3*	6Ply		89.00	20	24
AT26-9R14 NHS	209-010-070	NHS	4Ply		91.13	19	19
AT26-11R14NHS	209-011-070	NHS	4Ply		95.11	21	26

ATV TIRES - Dunlop

QUADMAX-UTILITY RADIAL UT/R - NEW!

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
26-9.00R14	272-331-314	NHS	4Ply		91.13	19	19

QUADMAX-AGGRESSIVE DURABILITY

The Quadmax is engineered for aggressive traction and durability
Manufactured on a premium light weight and durable six ply rated casing
Engineered for all terrain conditions
Great Slip free handling and traction

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT24-9-11	272-331-713	3*	6Ply		63.72	22	20
AT24-8-12	272-331-709	3*	6Ply		67.30	22	18
AT25-8-12	272-331-708	3*	6Ply		64.56	22	18
AT25-11-10	272-331-712	3*	6Ply		69.53	22	21
AT25-10-12	272-331-710	3*	6Ply		68.24	22	22
AT25-11-12	272-331-711	3*	6Ply		70.62	22	22

KT121, 121A, 121D & 121E

Premium Steering Response and Traction for a Variety of Terrains

Front Tire	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
121A							
AT25x8-12	272-900-027	2*			64.86	20	13
121D							
AT25x8-12	272-418-712	2*			64.86	20	16
121E							
AT25x8-12	272-303-798	2*			64.86	17	15



KT123

Self Cleaning Steering Control

Front Tire

Diamond Shoulders for Steering Control

Open Center for

Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
272-900-025	1*	2Ply		64.86	17	15



KT127, 127A & 127B

Proven All-Purpose Tread Design

Front and Rear Position

Long bar - Short bar design for a wide range of riding conditions


Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
272-900-024	1*	2Ply		70.77	19	17
272-100-010	2*	4Ply		70.77	18	17



ATV TIRES - Dunlop


KT128

Proven All-Purpose Tread Design
Rear Tire
Claw Pattern for Grip and Traction

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	272-302-884	2*	4Ply		70.77		19	19


KT131

Alternating Check Lug Pattern
Front Tire
Stable Steering and Responsive Handling

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	272-427-198	2*	4Ply		64.86		16	16


KT135

Elongated V- Pattern for Comfort and Control
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	272-427-184	2*	4Ply		70.77		18	17


KT151

All Terrain Steering
Front Tire
Excellent Traction, Ride Comfort and Steering Stability

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
22x7-11	272-338-161	1*	2Ply		61.10		16	12


KT155

All Terrain Traction
Rear Tire
Excellent Traction on all Surfaces and Conditions

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-9	272-338-180	1*	2Ply		56.10		17	17


KT161

Sport Performance Steering
Front Tire
Maximum Steering Response

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x7-10	272-338-245	2*	4Ply		51.55		16	11


KT165

Sport Performance Traction
Rear Tire
Full Faced Lateral Tread Blocks for Stability, Traction and Ride

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10-9	272-338-393	1*	2Ply		59.02		17	13

KT171


Precise Steering Response
Front Tire
Performance Enhanced Pattern for Precise Steering Response

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x7-10	272-100-012	2*	4Ply		51.55		16	12

ATV TIRES - Dunlop

KT175

Sport Proven Traction
Rear Tire
Performance Proven Sport Traction Pattern

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-9	272-100-011	1*	2Ply		56.10		16	14

KT181


Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	272-420-308	2*	4Ply		64.86		16	14

KT185

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	272-420-710	2*	4Ply		70.77		16	18


KT191

Combination of Durability and Traction
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	272-200-612	2*	4Ply		64.86		16	15

KT195

Combination of Durability and Traction
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	272-200-712	2*	4Ply		70.77		18	16

KT201


Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT20-7-10	272-327-953	2*	4Ply		49.25		14	9

KT205A

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT19-10-9	272-327-980	2*	4Ply		56.97		15	11

KT331 Radial

True Radial Design for a True Radial Performance
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7R10	272-302-769	2*	4Ply		57.26		16	11
AT21-7R10	272-302-710	2*	4Ply		57.26		16	11
AT22x7R10	272-302-645	2*	4Ply		58.39		16	12

KT331A


AT21x7R10	272-434-693	2*	4Ply		57.26		16	12
-----------	-------------	----	------	--	-------	--	----	----

KT331H

AT21-7R10	272-202-010	2*	4Ply		79.70		16	12
-----------	-------------	----	------	--	-------	--	----	----

KT335 Radial

True Radial Design for a True Radial Performance
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R9	272-302-693	2*	4Ply		61.10		16	14
AT20-10R9	272-302-793	2*	4Ply		61.10		16	14

KT335H

AT20x10R9	272-327-609	2*	4Ply		87.20		16	14
-----------	-------------	----	------	--	-------	--	----	----

ATV TIRES - Dunlop

KT341 Radial

True Radial Design with Advanced Tread Technology
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7R10	272-200-810	2*	4Ply		79.70	15	12

KT345 Radial

True Radial Design with Advanced Tread Technology
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
ATx20-10R9	272-200-909	2*	4Ply		87.20	17	14

KT351 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21-7R10	272-202-050	2*	4Ply		79.70	16	13

KT355A Radial

True Radial Design for Precise Sport Performance
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R19	272-200-409	2*	4Ply		87.20	17	15

KT355 Radial

True Radial Design for Improved Performance and Ride
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R9	272-434-793	2*	4Ply		61.10	17	15

KT355H

AT20-10R9	272-202-020	2*	4Ply		87.20	16	15
-----------	-------------	----	------	--	-------	----	----

KT356 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20-10R9	272-202-060	2*	4Ply		87.20	16	13

KT363

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21X7R10	272-332-708	2*	4Ply		81.53	16	12

KT371 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT22X7R10	272-323-100	2*	4Ply		79.70	16	11

KT378 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT22X9R11	272-332-707	3*	6Ply		101.19	16	15

KT381 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20X7R10	272-201-010	3*	6Ply		74.25	13	12

KT382 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20-7R10	272-202-030	3*	6Ply		76.48	13	12

ATV TIRES - Dunlop

KT385 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT18X10R8	272-201-108	3*	6Ply		79.20	18	13

KT386 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT18X10R8	272-900-890	3*	6Ply		79.20	18	13

KT391 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21X7R10	272-201-220	2*	4Ply		79.70	16	11

KT396 Radial

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20X10R9	272-201-320	2*	4Ply		89.10	16	14

KT405H

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	272-303-912	2*	4Ply		70.77	19	18

KT411

Outstanding All-Round Performance
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	272-331-412	2*	4Ply		64.86	17	14

KT415

Outstanding All-Round Performance
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	272-331-312	2*	4Ply		72.60	19	18

KT421

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	272-434-201	2*	4Ply		64.86	19	14

KT425

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	272-436-500	2*	4Ply		70.77	21	17

KT465A

Multi-Purpose Modified Knobby Tread Pattern for Moderate Terrain
Front and Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
15x7.00-6	272-430-581	NHS	4Ply		39.60	10	6



KT511 Radial

Front Tire
Self-cleaning steering control


Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8R12	272-200-212	2*	4Ply		69.53	17	14



ATV TIRES - Dunlop


KT515 Radial

Rear Tire
All-terrain Performance

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10R12	272-200-312	2*	4Ply		77.35		19	17


KT537A

Multi-Purpose Modified Knobby Tread Pattern
Rear Tire


Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-8	272-329-776	1*	2Ply		58.59		16	13

KT577A

Proven All-Purpose Traction
Rear Tire


Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
20x10.00-9	272-431-993	4PR	4Ply		48.49		14	13

KT586B

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT18X7-7	272-433-307	2*	4Ply		60.62		13	8


KT587

Multi-Purpose Modified Knobby Tread Pattern
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT18x8-7	272-433-467	2*	4Ply		61.79		13	9


KT701

Self-Cleaning Steering Control
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x7-10	272-900-011	2*	4Ply		38.30		15	11


KT705

Self-Cleaning Steering Control
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-10	272-900-012	1*	2Ply		45.95		16	13


KT761

Steering Control in Moderate Terrain
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
AT22x9-10	272-434-090	1*	2Ply		51.12		15	13

KT765

Traction Control in Moderate Terrain
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail		Trd Depth 32nds in.	Tire Weight (lbs)
22x11.00-10	272-434-194	NHS			54.90		18	16
AT24x11-10	272-434-199	1*			66.61		19	17

ATV TIRES - Dunlop

KT851B

Block Siping for Responsive Traction
Front Tire



Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7-10	272-324-069	2*			60.47	15	10

KT856

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT21-8-9	272-430-709	1*	2Ply		45.64	14	11

KT857

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT22-10-10	272-430-610	1*	2Ply		57.57	16	13

KT869

All Position Traction Tire
Front and Rear Tire



Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
22x11.00-10	272-327-394	4PR			73.29	17	17
22x11.00-10	272-200-512	4PR			73.29	17	16
23X11.00-10	272-327-310	2*			73.39	17	19
24x9.00-10	272-200-510	4PR			78.14	14	15

KT869M

All Position Traction Tire
Rear Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
24x11.00-10	272-200-511	4PR			82.29	14	18

KT877

High Void Modified Knobby
Rear Tire



Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10-9	272-324-093	2*			59.02	16	14

KT901

Directional modified knobby
Front Tire

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
22x9.00-10	272-339-110	4PR			74.13	14	13

KT953

Size	Product Code	Index	Rating	F.E.T.	Retail	Trd Depth 32nds in.	Tire Weight (lbs)
25x11.00-12	272-424-202	NHS			115.19	21	11