

TITAN HI-TRACTION LUG RADIAL R-1

Superior Traction & Side Hill Slip Resistance

Combines Long Bar/Medium Bar Traction for cleanability, smooth ride, and more power to the ground.

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
12.4R24	TL	4RD414	122A8/B		44	137
320/85R24	TL	4RDH14	142A8/B		47	149
14.9R24	TL	4RD434	120A8/B		47	148
13.6R24	TL	4RD422	128A8/B		46	142
12.4R28	TL	4RD412	121A8/B		44	137
13.6R28	TL	48E324	3*		46	195
380/85R28	TL	48E438	133A8/B		50	207
380/85R30	TL	48E430	135A8/B		50	221
380/85R34	TL	48E435	137A8/B		52	233
380/85R34	TL	48E79A	148A8/B		52	253
380/90R46	TL	48EA32	144A8/B		50	311
380/90R46	TL	48ED32	149A8/B		50	329
380/90R46	TL	48EH32	156A8/B		50	259
380/90R46	TL	48 E032	168A8/B		50	410
16.9R26	TL	48 E246	2*		52	225
420/85R28	TL	48E448	139A8/B		52	260
420/90R30	TL	48E479	142A8/B		56	256
16.9R38	TL	48 E220	2*		52	298
18.4R26	TL	48 E256	2*		53	269
18.4R26	TL	48E456	150A8		53	308
18.4R30	TL	4RD450	143A8/B		50	274
18.4R34	TL	48 E154	1*		53	316
480/80R38	TL	48E477	149A8/B		53	349
480/80R38	TL	48E677	152A8/B		53	362
480/80R42	TL	48E442	151A8/B		53	379
480/80R42	TL	48E542	154A8/B		53	366
480/80R42	TL	48E842	162A8/B		53	398
480/80R42	TL	48E942	166A8/B		53	411
480/80R46	TL	48E447	155A8/B		53	387
480/80R46	TL	48E547	158A8/B		53	389
520/85R38	TL	48E489	148A8/B		55	425
520/85R38	TL	48E689	158A8/B		55	454
520/85R42	TL	48E452	157A8/B		55	486
24.5R32	TL	48 E199	1*		56	494
24.5R32	TL	48E599	5*		56	568

TITAN SUPER HI-POWER LUG RADIAL R-1

Single Bar Design with Wide overlapping Lugs

Deep tread cuts through soil and penetrates easily for maximum traction

Also provides excellent treadwear and durability

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
800/65R32	TL	48T596	172A8/B		59	

TITAN HI-LOAD RADIAL R-1S

Delivers Superior Treadwear

Reduced Lug induced vibration

Higher load capabilities over standard R-1 Radials

Stability at transport speeds **Product**

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
380/90R46	TL	48S832	164A8/B		41	424
380/90R46	TL	48S032	168A8/B		41	446

TITAN AG 49M RADIAL R-1W

Wide base and wider section width allow for higher loads

Greater flotation, Improved traction, and smoother ride

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
380/80R38	TL	49M7M3	142A8/B		60	251
420/85R34	TL	49M7M4	147A8/B		56	293
480/70R30	TL	49M440	152A8/B		66	303
480/70R34	TL	49M7M5	156A8/B		62	302
480/80R50	TL	49M751	159A8/B		64	478
520/85R46	TL	49M771	158A8/B		72	556
600/60R34	TL	49M5Q5	164A8/B		65	495
600/65R28	TL	49M765	147A8/B		69	388
600/70R30	TL	49M7M6	152A8/B		65	459
600/70R30	TL	49M5M6	165A8/B		65	499
620/70R42	TL	49M770	160A8/B		66	657
620/70R46	TL	49M781	162A8/B		73	706
710/70R38	TL	49M769	166A8/B		78	699
710/70R42	TL	49M5Q6	180A8/B		78	951
710/70R42	TL	49M791	166A8/B		74	814
710/70R42	TL	49M891	179A8/B		74	855

TITAN AG 49H RADIAL R-1W

Modeled after the popular European-style tires

Specifically designed for soft, moist, and sticky soil

Deep tread for solid traction **Product**

Size	TT/TL	Code	LR	F.E.T.	Tire Weight (lbs)
16.9R30	TL	49H479	144A8/B		267
18.4R38	TL	49H777	146A8/B		383
18.4R42	TL	49H742	148A8/B		436
20.8R38	TL	49H789	153A8/B		500
20.8R42	TL	49H752	155A8/B		485

TITAN TT49V R-1W

Developed for High Clearance with the Row Crop Market in mind

Features a deeper tread than a R-1 tire for improved traction

Product

Size	TT/TL	Code	LR	F.E.T.	Tire Weight (lbs)
230/95R48	TL	49V4V4	147A8/B		197
230/115R54	TL	49V7T3	146A8/B		296
290/90R38	TL	49V7V1	138A8/B		171
320/80R42	TL	49V7V2	130A8/B		195
320/85R38	TL	49V445	138A8/B		195
320/90R46	TL	49V7V8	148A8/B		243
320/90R46	TL	49V7T5	156A8/B		289
320/90R50	TL	49V4V6	156A8/B		299

320/90R50	TL	49V8V6	161A8/B	312
320/90R54	TL	49V743	154A8/B	308
380/90R54	TL	49V7V9	152A8/B	365

TITAN HI-TRACTION LUG R-1

Exclusive Long Bar/Medium Bar tread pattern

This design follows a symmetrical lug pattern to eliminate side to side rocking and promotes even wear

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth	Tire Weight
					32nds	(lbs)
7-14	TL	48D665	6		33	26
7-16	TL	48D666	6		34	27
8-16	TL	48D667	6		31	34
8.3-24	TL	48D684	6		37	55
9.5-16	TL	48D695	6		40	48
9.5-20	TL	48D663	6		41	55
9.5-24	TL	48D694	6		30	73
11.2-24	TL	48D404	4		43	89
11.2-24	TL	48D604	6		43	98
11.2-24	TT	47D804	8		43	91
11.2-24	TL	48D804	8		43	99
11.2-24	TL	48D004	10		43	102
11.2-28	TL	48D410	4		43	101
12.4-24	TL	48D414	4		44	106
12.4-24	TL	48D614	6		44	111
12.4-24	TL	48D814	8		44	112
12.4-24	TL	48D114	12		88	128
12.4-28	TL	48D412	4		44	107
12.4-28	TL	48D612	6		44	113
12.4-28	TL	48Y812	8		44	120
12.4-42	TT	47D619	6		32	157
12.4-42	TL	48D019	10		48	180
12.4-42	TL	48D119	12		48	181
13.6-24	TL	48D422	4		46	128
13.6-24	TL	48D622	6		46	129
13.6-24	TL	48D822	8		46	137
13.6-28	TT	47D424	4		46	126
13.6-28	TL	48D424	4		46	134
13.6-28	TT	47D624	6		46	133
13.6-28	TL	48D624	6		46	141
13.6-28	TT	47D824	8		46	133
13.6-28	TL	48D024	10		46	146
14.9-24	TL	48D434	4		47	133
14.9-24	TT	47D634	6		47	130
14.9-24	TL	48D634	6		47	140
14.9-24	TL	48D834	8		47	140
14.9-28	TT	47D638	6		47	132
14.9-28	TL	48D638	6		47	138
14.9-28	TL	48D038	10		47	161
14.9-30	TL	48D030	10		47	189
15.5-38	TT	47D674	6		46	183
15.5-38	TT	47D874	8		46	185
16.9-24	TL	47D645	6		48	157
16.9-24	TL	48D645	6		48	168
16.9-24	TL	48D845	8		48	170
16.9-26	TL	48D646	6		48	168
16.9-26	TL	48D046	10		48	185
16.9-28	TL	48D648	6		48	175

16.9-28	TT	47D848	8	48	168
16.9-28	TL	48D048	10	48	192
16.9-30	TT	47D679	6	48	180
16.9-30	TL	48D679	6	48	196
16.9-30	TT	47D879	8	48	184
16.9-34	TT	47D644	6	48	189
16.9-34	TT	47D844	8	48	190
16.9-38	TT	47D620	6	48	198

Continued Next Page

TITAN HI-TRACTION LUG R-1 (CONT'D)

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth	Tire Weight
					32nds	(lbs)
16.9-38	TT	47D820	8		48	206
18.4-16.1	TL	48D890	8		50	166
18.4-26	TL	48D656	6		50	188
18.4-26	TL	48D056	10		50	207
18.4-26	TL	48D156	12		50	213
18.4-30	TL	48D650	6		50	228
18.4-30	TT	47D850	8		50	208
18.4-30	TT	48D050	10		50	257
18.4-34	TT	47D654	6		50	213
18.4-34	TT	47D854	8		50	219
18.4-34	TL	48D054	10		50	262
18.4-38	TT	47D677	6		50	239
18.4-38	TT	47D877	8		50	245
18.4-38	TT	47D077	10		50	270
20.8-34	TT	47D801	8		51	277
20.8-38	TT	47D889	8		51	303
20.8-38	TT	47D089	10		51	310
23.1-26	TL	48D886	8		52	307
23.1-26	TL	48D086	10		52	329
23.1-26	TL	48D186	12		52	338
23.1-26	TL	48D386	14		52	339
23.1-26	TL	48D586	16		52	337
23.1-34	TT	47D888	8		52	312
24.5-32	TL	48D099	10		53	390
24.5-32	TL	48D199	12		53	422
24.5-32	TL	48D399	14		53	422
30.5L-32	TL	48D196	12		54	517
30.5L-32	TL	48D596	16		54	551

TITAN FARM TRACTOR R-1

Great size range for Antique and older tractors

The open 45 degree lug provides self-cleaning and traction benefits

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth	Tire Weight
					32nds	(lbs)
9.5-36	TT	470697	6		38	85
11.2-34	TT	470402	4		42	97
11.2-36	TT	470406	4		44	89
12.4-36	TT	470616	6		44	129
13.9-36	TT	470693	6		44	126

TITAN TRU-TRAC MULTI-RIB F-2M

Best for handling heavy loads on hard-packed surfaces
 Features a nylon carcass, durable tread compound and bead rim shield
 Offers excellent load distribution and flotation

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
7.50-16SL	TL	466383	6		21	35
9.5L-15SL	TL	466343	6		27	45
10.00-16SL	TL	466394	6		28	54
10.00-16SL	TT	466298	8		28	55
10.00-16SL	TL	466398	8		28	61
11L-15SL	TL	466318	8		27	65
11.00-16SL	TT	466295	8		28	71
11.00-16SL	TL	466395	8		28	72
11.00-16SL	TL	466396	12		28	80
11.00-20SL	TL	466347	12		28	98
11.00-24SL	TL	466348	8		28	100
14L-16.1SL	TL	466389	10		32	104
16.5L-16.1SL	TL	466352	10		36	150

TITAN FLO-TRAC RIB HF1/FLO-TRAC LUG HF-3

Flo-Trac Rib is designed for max flotation and durability. Low section height gives it more handling
 The Flo-Trac's open curved lug design allows for maximum self-cleaning and side hill slip resistance

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
FLO-TRAC RIB						
25X7.50-15	TL	41F393	4		8	23
25X7.50-15	TL	41F378	6		8	23
27X9.50-15	TL	41F394	4		9	25
27X9.50-15	TL	41F395	6		9	30
27X9.50-15	TL	41F306	8		9	32
31X13.50-15	TL	41F396	6		10	59
31X13.50-15	TL	41N396	6		10	56
31X13.50-15	TL	41F397	8		10	63
31X13.50-15	TL	41N397	8		10	60
31X13.50-15	TL	41N307	10		10	70
31X13.50-15	TL	41N3U9	14		10	74
TITAN FLO-TRAC LUG						
31x15.50-15	TL	41G3A4	8		22	74
33x12.50-15	TL	41G3H1	8		27	60
35x19.00-16.1	TL	41G3G3	12		40	97
38x18.00-20	TL	41G3F1	10		40	137
38x18.00-20	TL	41G3R6	14		40	147

TITAN TRU POWER II

Ultimate deep-traction tire with a large contact area to provide the best traction
Features a specially designed rim guard to keep debris from the bead seat area
A great performer on wet or dry surfaces

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
5-12 NHS	TL	4233F5	4		20	11
6-12 NHS	TL	4233C3	4		20	14
7.00-12NHS	TL	423382	4		23	17
12.4-16	TL	423383	6		32	69
18X8.50-10 NHS	TL	4233U1	4		16	12
26X12.00-12 NHS	TL	423361	4		20	36
26X12.00-12 NHS	TL	423360	8		20	39
35X12.00-16.5NHS	TL	4233LO	4		29	72

TITAN HD 2000

Engineered with HD sidewalls to protect against abrasions, tears, and punctures
With it's dual tapered step, lug wear is improved & life extended

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
10-16.5NHS	TL	4393D1	8		21	62
12-16.5NHS	TL	4393J7	10		23	74
14-17.5NHS	TL	439396	10		24	101
14-17.5NHS	TT	439384	14		24	111
15-19.5NHS	TL	439336	12		26	132
15-19.5NHS	TL	439636	16		26	145
23X8.50-12NHS	TL	4393G8	6		14	27
27X8.50-15NHS	TL	439377	8		15	38
27X10.50-15 NHS	TL	439378	8		15	46

TITAN HD2000 with Tyrelyner

Titan HD 2000 with Tyrelyner prevents small punctures from causing you valuable down time

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
10-16.5NHS	TL	4393D1TYL	8		8	74
12-16.5NHS	TL	4393J7TYL	10		10	99

TITAN HD 2000 II

The HD 2000 II is Titans Premium conventional skid steer tire with deeper tread depth,
premium compound, larger tread lugs, heavier sidewall, and larger rim guard

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
20X8.00-10NHS	TL	49E3W8	4		4	23
10-16.5NHS	TL	49E3D1	8		8	66
12-16.5NHS	TL	49E3J7	10		10	79
14-17.5	TL	49E384	14		14	119
31X15.5-16.5NHS	TL	49E3L8	8		8	85
33X15.5-16.5NHS	TL	49E3X3	12		12	103
33X15.5-16.5NHS	TL	49E3R9	14		14	103
13.00-24	TL	49E333	12		12	157
14.00-24	TL	49E344	12		12	258

TITAN LOADER DOZER II L-2

Has exceptional performance rating and heavy duty ply ratings
Laterally designed lugs provide maximum, even traction along the length of the lug
Lugs resist buckling, cracking, and tearing

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
15.5-25	TL	431120	12		29	185
17.5-25	TL	431117	12		32	248
17.5-25	TL	431517	16		32	270
20.5-25	TL	431121	12		36	339
20.5-25	TL	431521	16		36	359
20.5-25	TL	431921	20		36	384
23.5-25	TL	431123	12		38	451
23.5-25	TL	431523	16		38	473

TITAN MOTOR GRADER HD G-2 (Original Equipment)

Motor Grader HD has a proven performance tread design with massive lugs,
large center overlap to resist buckling, tearing, and cracking
It is very durable and resistant to punctures and features a heavy-duty tubeless construction

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
13.00-24TG	TL	367333	12		29	142
13.00-24TG	TL	36738A	16		29	183
14.00-24TG	TL	367344	12		31	203
14.00-24TG	TL	3673R7	14		31	197

TITAN GRADER II G-2

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
13.00-24TG	TL	37C333	12		29	158
13.00-24TG	TL	37C346	14		29	172
14.00-24TG	TL	37C344	12		31	187

TITAN RADIAL ST II

Titans trailer with a modern tread design for a smooth ride and more even wear
Wider grooves and aggressive siping reduce hydroplaning
Nylon cap improves durability

Product

Size	TT/TL	Code	LR	F.E.T.	Tread Depth 32nds	Tire Weight (lbs)
ST175/80R13	TL	4RT368	C		10	19
ST185/80R13	TL	4RT320	C		10	20
ST205/75R14	TL	4RT357	C		10	22
ST215/75R14	TL	4RT352	C		10	25
ST205/75R15	TL	4RT318	C		10	23
ST205/75R15	TL	4RT319	D		10	28
ST225/75R15	TL	4RT346	C		10	28
ST225/75R15	TL	4RT347	D		10	31
ST225/75R15	TL	4RT348	E		10	32
ST235/80R16	TL	4RT090	E		13	50